

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Fome Flex Neutral Glazing&Windows**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture**
Sealant
Construction chemicals
- **Uses advised against** Uses other than those recommended.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

UAB TEGRA STATE
 - Savanoriu ave 178A, LT-03154 Vilnius, LITHUANIA
 - Tel.: +37052661167
 - www.tegrastate.eu
 - E-mail: info@tegragroup.eu
- **1.4 Emergency telephone number:** European emergency number: 112 (24h)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

Carc. 1B H350 May cause cancer.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

- **Hazard pictograms**



GHS07



GHS08

- **Signal word** Danger
- **Hazard-determining components of labelling:**
acetone oxime
2-octyl-2H-isothiazol-3-one

(Contd. on page 2)

Trade name: Fome Flex Neutral Glazing&Windows

(Contd. of page 1)

• Hazard statements

H319 Causes serious eye irritation.
 H317 May cause an allergic skin reaction.
 H350 May cause cancer.

• Precautionary statements

P102 Keep out of reach of children.
 P280 Wear protective gloves / eye protection.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P405 Store locked up.

• Additional information:

Restricted to professional users.
 Contains biocidal products: 2-octyl-2H-isothiazol-3-one

• 2.3 Other hazards**• Results of PBT and vPvB assessment**

• **PBT:** Not applicable
 • **vPvB:** Not applicable

• Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients**• 3.2 Mixtures**

• **Description:** Mixture of substances listed below with nonhazardous additions.

• Dangerous components:

CAS: 127-06-0 EINECS: 204-820-1	acetone oxime ☠ Carc. 1B, H350; STOT RE 2, H373; ☠ Eye Dam. 1, H318; ☠ Acute Tox. 4, H312; Skin Sens. 1, H317; STOT SE 3, H336 ATE: LD50 dermal: 1,100 mg/kg	<2.5%
CAS: 26530-20-1 EINECS: 247-761-7	2-octyl-2H-isothiazol-3-one ☠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; ☠ Skin Corr. 1, H314; Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ☠ Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.0025%

• **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures**• 4.1 Description of first aid measures****• General information:**

First aid personnel should wear recommended personal protective equipment if there is a possibility of exposure to the hazard. See Section 8.

• After inhalation:

Supply fresh air; consult doctor in case of complaints.
 In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

Wash with plenty of water or water and soap. In cases of sickness seek medical advice (show label if possible).

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

If symptoms persist consult doctor.
 Do not induce vomiting.

(Contd. on page 3)

Trade name: Fome Flex Neutral Glazing&Windows

(Contd. of page 2)

- **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
Use fire extinguishing methods suitable to surrounding conditions.
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet.
- **5.2 Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Silica dioxide.
Carbon monoxide (CO).
Product during a fire will produce dense black smoke.
- **5.3 Advice for firefighters**
- **Protective equipment:**
Do not inhale explosion gases or combustion gases.
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation.
Wear protective clothing.
Remove persons from danger area.
- **6.2 Environmental precautions:**
Do not allow to enter sewers / surface or ground water.
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation / exhaustion at the workplace.
Keep away from heat and direct sunlight.
Avoid contact with respiratory system, skin and eyes. See also section 8.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:**
Protect from heat.
Keep ignition sources away - Do not smoke.

(Contd. on page 4)

Trade name: Fome Flex Neutral Glazing&Windows

(Contd. of page 3)

7.2 Conditions for safe storage, including any incompatibilities**Storage:****Requirements to be met by storerooms and receptacles:**

- Store only in the original receptacle.
- Store in a cool, dry place at room temperature.
- Keep away from water and moisture.

Information about storage in one common storage facility:

- Store away from oxidizers.
- Store away from foodstuffs.
- Do not store together with alkalis (caustic solutions).
- Do not store together with acids.
- Store away from water.

Further information about storage conditions:

- Protect from frost.
- Store in cool, dry conditions in well sealed receptacles.
- Keep container tightly sealed.

7.3 Specific end use(s) No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs**CAS: 127-06-0 acetone oxime**

Dermal	DNEL	0.000047 mg/kg/Tag (Workers)
Inhalative	DNEL	0.335 mg/m ³ (Workers)

Additional information: The lists valid during the making were used as basis.**8.2 Exposure controls**

- Appropriate engineering controls** No further data; see section 7.
- Individual protection measures, such as personal protective equipment**

General protective and hygienic measures:

- Wash hands before breaks and at the end of work.
- Keep away from foodstuffs, beverages and feed.
- Do not eat, drink, smoke or sniff while working.
- Avoid contact with the eyes and skin.
- Pregnant women should strictly avoid inhalation or skin contact.
- Immediately remove all soiled and contaminated clothing.
- The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection

Protective gloves

EN 374

The glove material has to be impermeable and resistant to the product / the substance / the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

Polyethylene gloves.
Recommended thickness of the material: ≥ 0.02 mm.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Trade name: Fome Flex Neutral Glazing&Windows

(Contd. of page 4)

- **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection**

EN 166



Safety glasses

- **Body protection:**



Protective work clothing.

- **Thermal hazards** Not applicable

- **Environmental exposure controls** See section 6.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

· Physical state	Liquid
· Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined
· Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and boiling range	Not determined
· Flammability	Not applicable
· Lower and upper explosion limit	
· Lower:	Not determined
· Upper:	Not determined
· Flash point:	Not applicable
· Auto-ignition temperature:	No data available.
· Decomposition temperature:	Not determined
· pH	Not applicable
· Viscosity:	
· Kinematic viscosity	Not determined
· Dynamic:	Not determined
· Solubility	
· water:	Insoluble
· Partition coefficient n-octanol/water (log value)	Not determined
· Vapour pressure:	Not determined
· Density and/or relative density	
· Density:	Not determined
· Relative density	Not determined
· Vapour density	Not determined
· Relative gas density	Not applicable
· Particle characteristics	Unspecified.

- **9.2 Other information**

- **Appearance:**

- **Form:** Paste

(Contd. on page 6)

Trade name: Fome Flex Neutral Glazing&Windows

(Contd. of page 5)

- **Important information on protection of health and environment, and on safety.**
- **Ignition temperature:** Product is not selfigniting
- **Explosive properties:** Product does not present an explosion hazard
- **Change in condition**
- **Evaporation rate** Not determined
- **Information with regard to physical hazard classes**
- **Explosives** Not applicable
- **Flammable gases** Not applicable
- **Aerosols** Not applicable
- **Oxidising gases** Not applicable
- **Gases under pressure** Not applicable
- **Flammable liquids** Not applicable
- **Flammable solids** Not applicable
- **Self-reactive substances and mixtures** Not applicable
- **Pyrophoric liquids** Not applicable
- **Pyrophoric solids** Not applicable
- **Self-heating substances and mixtures** Not applicable
- **Substances and mixtures, which emit flammable gases in contact with water** Not applicable
- **Oxidising liquids** Not applicable
- **Oxidising solids** Not applicable
- **Organic peroxides** Not applicable
- **Corrosive to metals** Not applicable
- **Desensitised explosives** Not applicable

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Chemically stable under specified conditions of storage, handling and use.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Acetone oxime is released during curing.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

CAS: 112945-52-5 Amorphous Silica		
Oral	LD50	>10,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4h	0.139 mg/l (rat)
CAS: 127-06-0 acetone oxime		
Oral	LD50	2,500-3,000 mg/kg (rat)
Dermal	LD50	1,100 mg/kg (ATE)
CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one		
Oral	LD50	125 mg/kg (ATE)

(Contd. on page 7)

Trade name: Fome Flex Neutral Glazing&Windows

(Contd. of page 6)

Dermal	LD50	3,300 mg/kg (rat) 311 mg/kg (ATE) >5,000 mg/kg (rat)
Inhalative	LC50/4h	0.27 mg/l (ATE)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity**
May cause cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· Endocrine disrupting properties
--

None of the ingredients is listed.

SECTION 12: Ecological information· **12.1 Toxicity**· **Aquatic toxicity:**

CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one

EC50	10-100 mg/l (algae)
	10-100 mg/l (daphnia)
LC50	1-10 mg/l (fish)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:** Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations· **13.1 Waste treatment methods**· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Remove in accordance with applicable legislation.

Dispose of in a safe manner in accordance with local / national regulations.

Do not allow to enter surface or ground water.

Assigning a code from the waste catalogue depends on the sector, in which the user operates, as well as on arrangements made between the waste generator and a competent environment protection department.

· **European waste catalogue**

HP7	Carcinogenic
-----	--------------

(Contd. on page 8)

Trade name: Fome Flex Neutral Glazing&Windows

(Contd. of page 7)

- **Uncleaned packaging:**
- **Recommendation:**
Disposal must be made according to official regulations.
It should be treated in the same way as product residues.

SECTION 14: Transport information

- | | |
|---|----------------|
| · 14.1 UN number or ID number
· ADR, IMDG, IATA | Not applicable |
| · 14.2 UN proper shipping name
· ADR, IMDG, IATA | Not applicable |
| · 14.3 Transport hazard class(es)
· ADR, ADN, IMDG, IATA
· Class | Not applicable |
| · 14.4 Packing group
· ADR, IMDG, IATA | Not applicable |
| · 14.5 Environmental hazards: | Not applicable |
| · 14.6 Special precautions for user | Not applicable |
| · 14.7 Maritime transport in bulk according to IMO instruments | Not applicable |
| · UN "Model Regulation": | Not applicable |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
1907/2006/CE Regulation, REACH
1272/2008/CE Regulation, CLP
2020/878/UE Regulation
2023/707/UE Regulation
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

(Contd. on page 9)

Trade name: Fome Flex Neutral Glazing&Windows

(Contd. of page 8)

· REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

· Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

· Other regulations, limitations and prohibitive regulations**· Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H336 May cause drowsiness or dizziness.
- H350 May cause cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

· Version number of previous version: 1**· Abbreviations and acronyms:**

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative
- ATE: Acute toxicity estimate values
- Acute Tox. 3: Acute toxicity – Category 3
- Acute Tox. 4: Acute toxicity – Category 4
- Acute Tox. 2: Acute toxicity – Category 2
- Skin Corr. 1: Skin corrosion/irritation – Category 1
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- Skin Sens. 1: Skin sensitisation – Category 1
- Skin Sens. 1A: Skin sensitisation – Category 1A
- Carc. 1B: Carcinogenicity – Category 1B
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
- Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· * Data compared to the previous version altered.

Points marked with * have changed from the previous version of the card